


Lightweight Process Modelling for Virtual Enterprise Process Collaboration

Dr. Lai Xu
Bournemouth University, UK
lxu@bournemouth.ac.uk

Paul de Vrieze, Keith Phalp, Sherry Jeary, and Peng Liang




Characteristics of the traditional enterprise systems

- **Closed**
- **Centralized control**
- **Mission critical**

An enterprise needs to be able to *quickly and cost-effectively change* how it does business and who it does business with (suppliers, business partners, customers), etc.


Enterprise information system landscape



- Supported process-oriented applications within which **not only data is processed** in a certain way, **but also** the control of the data or activities and state information, i.e. **when, where and how to processes data** or trigger activates **by whom**.
- Positioned next to enterprise workflow engine
- Allow for support of “unsupportable processes” that are:
 - Dynamic in nature
 - Not common enough, too small for centralised implementation, benefits too small
 - Hard to explain to non-domain experts

- More XML content
- More services
- More feeds
- Cloud provides computing in the network
(The Network is the computer - SUN)
- Cheap, network accessible computing gives
ability to users:
 - salesforce.com

Motivating Example




Virtual Enterprise: International Moving Services

Challenges of Lightweight Process Modelling


- **Easy to use**
 - Easy for **non-IT-savvy end users**
 - **Minimizing designs from scratch**
 - Highly **reusable process templates** and models
 - Providing **advanced guidance** during the process design phase
Support non IT-savvy end users
- **Executable** process modelling language
 - **Expressive** power
 - Precise, disambiguation

- **Context-aware principle**
 - Adapting the **best fitting** process **modelling artefacts** during selection
 - Effective management and **parameterization** of process artefacts
 - **Unifying names** of equal activities/tasks in different process models
- **Reuse principle**
 - **Using** process **patterns** to guarantee the soundness of process models
 - Provide domain-specific **process templates**
- **Flexibility principle**
 - Allow the use of **goals** acting as activities **at design time**
 - **Bind** process activities/tasks/goals to a particular service **at runtime**
- **Actively participation principle**
 - Provide annotations for recommendations, ranking, commenting of processes


Meta-model of the lightweight process modelling language




Adopted Symbols from BPMN




Basic Process Patterns



Modelling example




Never wait, execute every time




(a) Never wait, execute every time

Wait for all of finish




(b) Wait for all of finish

Wait for the first to finish and ignore the others



(c) Wait for the first to finish and ignore the others

Lightweight Process Model for the Virtual Enterprise



Virtual Enterprise: International Moving Services



Bournemouth
University

Some Data Operators in Data-oriented Mashups

IBM Mashup Tools				
	Data Visibility	Data Interaction	Data Transfer	Data Routing
Transform			X	
Sort			X	
Group			X	
Merge			X	
Union			X	
Augment			X	
Filter				X
Data Refresh		X		

Supporting 13 data flow patterns

- 3 dataflow patterns for **data visibility**
- 5 patterns for **data interaction**
- 3 patterns for **data transfer mechanisms**
- 2 patterns for **data-based routing**.

- Lightweight business process modelling (LBPM) requirements
- Lightweight business process modelling principles
- Design of lightweight business process modelling languages
 - Control flow
 - Data flow
- Apply LBPM into virtual enterprise modelling